

## **ARDEX Building Product Information Sheet: Industrial Coatings**

Product name:	Industrial Coatings
Product line (the product line from which the product is customised)	Industrial Coatings
Product description and its intended use (measurements, materials, usage)	Industrial coatings products serve a variety of purposes. They can protect surfaces e.g., from corrosion, abrasion and weathering. They can also be used for decorative reasons, used to enhance the appearance of surfaces e.g., polyurethane for a glossy finish, as well as to improve performance of surfaces such as through anti-slip coatings or increased durability.
Product identifier (if applicable):	Polyurethane screeds: ARDEX R 70 P and R 90 P (indent only) 18454 - ARDEX R 90 P filler 23kg 18457 - ARDEX R 70/90 P, Part A, 2.67kg 16197 – ARDEX R 70/90 P, Part B, 2.86kg
	Highly conductive water based epoxy (indent only) 38113 - ARDEX R 7 E, Part A, 20.5kg 38114 - ARDEX R 7 E, Part B, 4.5kg
	Water based aliphatic polyurethane membrane (2 coats) 38112 - ARDEX WPM 170 Grey 20kg
	Two component epoxy resin – ARDEX R 4 E and R 5 E  38115 - ARDEX R 4 E, Part A, 4.667kg  38116 – ARDEX R 4 E, Part B, 2.333kg  8005978 – ARDEX R 5 E 20kg kit  38109 – ARDEX R 5 E Part A, 13.88kg  38110 – ARDEX R 5 E Part B, 4.813kg
	Conductive epoxy coating ARDEX R 27 E
	Self-levelling epoxy with antistatic properties (indent only) ARDEX R 77 E
	Self-levelling polyurethane resin 38258 - ARDEX R 76 PU Part B, 4.292kg
	ARDEX R 20 PU polyurethane roll coat system for internal and external use (2 coats)  38271 – ARDEX R 20 PU base incolora Part A, 7.1kg  40449 – ARDEX R 20 PU Part A RAL 5014, 8.29kg + more RAL colours  38267 – ARDEX R 20 PU Part B, 1.9kg
	ARDEX R 74 PU Self-levelling polyurethane elastic resin (indent only)



	ARDEX R 21 PU clear polyurethane anti-scratch varnish
	38103 – ARDEX R 21 PU Part A, 7.5kg
	38104 – ARDEX R 21 PU Part B, 2.5kg
	ARDEX R 50 ES multipurpose epoxy resin
	38129 – ARDEX R 50 ES Part B, 4.813kg
Place of	Overseas
manufacture:	
Legal and trading	Seire – Spain an ARDEX Group Company
name of the	
manufacturer(s):	
Legal and trading	ARDEX New Zealand Ltd
name of the	
importer	
Address for	15 Alfred Street, Onehunga
service:	Auckland New Zealand 1061
Website:	ardex.co.nz
Email address	info@ardexnz.com
Phone No	0800 227 339
NZBN	9429037589653
Relevant Building	B2 DURABILITY Performance B2.3.1 (C)
Code clauses:	D1 Slip resistance (Contributes)
couc clauses.	F2 HAZARDOUS BUILDING MATERIALS: Performance
Statement on	ARDEX industrial coatings will provide suitable floor finishes for direct foot
how the building	traffic, where slip resistance is required the addition of aggregates in the
product is	coating will assist in achieving the desired finished level.
expected to	ARDEX takes responsibility for the quality of its products. The applications
contribute to	and recommendations given are based on extensive testing and quality
compliance:	control.
compliance.	ARDEX industrial coatings will not have a service life of less than 5 years and
	minimum warranty offered by ARDEX is 10 years.
Limitations on the	The state of the s
use of the	Please refer to the relevant datasheet for more information
building product:	Thease refer to the relevant datasticet for more information
Design	
requirements	Applications that require a coating finish, exceptional hygiene control and
that would	decorative look. ARDEX can tint the products to most RAL colours.
support the use	decorative rook. ANDEX can till the products to most RAE colours.
of the building	
product:	
Installation	Please refer to the relevant datasheet for more information
	Frease refer to the relevant datasneet for more information
requirements:  Maintenance	Darimeter coalants shall be maintained as nor the respective manufacturers
	Perimeter sealants shall be maintained as per the respective manufacturers
requirements:	requirements.
	Surface cleaning shall be undertaken in accordance with the maintenance
	plan provided by the installer.
le the building	No
Is the building	No
product/building	



	(ARDEX)
product line subject to warning or ban under section 26?:	
	ARDEX BPIS Industrial Coatings v1.6.11.23