



## ARDEX Building Product Information Sheet: ARDEX RA 040

Product name:	ARDEX RA 040
Product line (the product line from which the product is customised)	ARDEX RA 040
Product description and its intended use (measurements, materials, usage)	ARDEX RA 040
Product identifier (if applicable):	24541 – RA 040
Place of manufacture:	Overseas
Legal and trading name of the manufacturer(s):	ARDEX Australia
Legal and trading name of the importer	ARDEX New Zealand Ltd
Address for service:	15 Alfred Street, Onehunga Auckland New Zealand 1061
Website:	ardex.co.nz
Email address	info@ardexnz.com
Phone No	0800 227 339
NZBN	9429037589653
Relevant Building Code clauses:	B2 DURABILITY E2 EXTERNAL MOISTURE (Contributes) E3 INTERNAL MOISTURE (Contributes) F2 HAZARDOUS BUILDING MATERIALS
Statement on how the building product is expected to contribute to compliance:	ARDEX RA 040 sealant, when professionally applied, contributes to the following building code obligations.  E2 (External Moisture) & E3 (Internal Moisture), applicable performance criteria. Polyurethane Sealant, when applied, seals joints. When cured, it resists water penetration.  B2 (Durability), B2.3.1(a). The durability of polyurethane sealants is well established in NZ based on in-service use.



	F2 (Hazardous Building Materials), F2.3.1. Sealant is not considered hazardous, and does not emit harmful gases.
Limitations on the use of the building product:	Please refer to the product datasheet found at <a href="http://ardex.co.nz">ardex.co.nz</a>
Design requirements that would support the use of the building product:	ARDEX RA 040 is a one-component, polyurethane based joint sealant. It has excellent bond strength to most porous and non-porous substrates without the use of a primer. ARDEX RA 040 is non-sag and may be applied on vertical and horizontal surfaces.
Installation requirements:	Please refer to the product datasheet found at <a href="http://ardex.co.nz">ardex.co.nz</a>
Maintenance requirements:	No maintenance required other than standard building maintenance where the application is effective
Is the building product/building product line subject to warning or ban under section 26?:	No
	<b>ARDEX BPIS RA040 v1.17.11.23</b>