



ARDEX Building Product Information Sheet: WPM 1000 RR

Product name:	ARDEX WPM 1000 RR
Product line (the product line from which the product is customised)	ARDEX WPM 1000 RR – Root Repell
Product description and its intended use (measurements, materials, usage)	<p>ARDEX WPM 1000 RR is a high-performance, single-ply waterproofing membrane designed for use in areas susceptible to root damage.</p> <p>System Consists of:</p> <ul style="list-style-type: none"> ARDEX WPM 1000 RR ARDEX WA98 Adhesive ARDEX WA98 Solvent ARDEX Flashing Tape Inside Outside Corners
Product identifier (if applicable):	<p>24578 – WPM 1000 RR 20m x 1.4m x 1mm</p> <p>44587 WPM 1000 RR 20m x 1.4m x 1mm (2pce)</p> <p>44837 – WPM 1000 RR any length</p> <p>13052 – WA98 A 20L pail</p> <p>13050 WA98S 20L</p> <p>24188 – WA98 A 20L (Clear)</p> <p>44587 WPM 1000 RR 20mx1.4mx1mm (2pc)</p> <p>10870 – WA98 A 4L</p> <p>10874 – WA98 S 4L</p> <p>44837 WPM 1000 RR any length</p> <p>10397 – flashing tape 4.7m x 100mm roll</p> <p>32475 – corners 10pc pack</p>
Place of manufacture:	Aotearoa New Zealand
Legal and trading name of the manufacturer(s):	ARDEX New Zealand Ltd
Legal and trading name of the importer	
Address for service:	15 Alfred Street, Onehunga Auckland New Zealand 1061
Website:	ardex.co.nz
Email address	info@ardexnz.com
Phone No	0800 227 339



NZBN	9429037589653
Relevant Building Code clauses:	B2 Durability: B2.3.1(a), B2.3.2(a) E2 External Moisture: E2.3.1, E2.3.2 F2 Hazardous Building Materials: F2.3.1
Statement on how the building product is expected to contribute to compliance:	<p>When used in building work, the ARDEX WPM 1000RR system will contribute to building code compliance of the building work. The use of rubber/TPO-based waterproofing membranes is well established in NZ and WPM 1000* has been appraised by BRANZ and found to comply with the following provisions of the building code.</p> <p>B2 (Durability), B2.3.1(b). E2 (External Moisture), E2.3.1, E2.3.2. F2 (Hazardous Building Materials), F2.3.1</p> <p>*Note WPM 1000RR is WPM 1000 with an additional root inhibitor added.</p>
Limitations on the use of the building product:	<p>The membrane and accessories are intended for use as a waterproofing system for the following roof and gutter substrates, cementitious timber.</p> <p>The system must be applied to a structurally sound, securely fastened and supported substrate. This will avoid substrate movement related cracking. The substrate should also be dry.</p> <p>Where the system is it to be used over a cementitious substrate, then the surface should be check for moisture content.</p> <p>Membrane must be protected from UV exposure long term.</p>
Design requirements that would support the use of the building product:	Waterproofing membrane for use in planter boxes, roof gardens and below grade application where there is a requirement for additional protection against vegetation roots.
Installation requirements:	Please refer to the appropriate datasheet
Maintenance requirements:	<p>No maintenance is required on the proviso significant building movement does not occur.</p> <p>Drainage systems must be maintained, with regular checking for blockages.</p>



Is the building product/building product line subject to warning or ban under section 26?:	No
	ARDEX BPIS WPM 1000 RR v1 11/12/2023