

ARDEX WPM 240

Bituminous Membrane Primer

Solvent Based, Single Component Primer

For use with ARDEX Bitumen Systems

Fast Drying

ARDEX New Zealand Ltd 15 Alfred Street Onehunga, Auckland 1061 Phone: 0800 227 339 Email: info@ardexnz.com ardex.co.nz

ARDEX WPM 240

Bituminous Membrane Primer

PRODUCT DESCRIPTION

ARDEX WPM 240 is a solvent-based primer, used to seal and prepare substrates prior to the installation of ARDEX torch-on, ARDEX WPM 3000X or ARDEX WPM 5000HD self-adhesive membranes

APPLICATION

Ensure that the surface to be primed is dry and free from dust, oil, paint, curing compounds and any other contaminating materials.

Stir contents well before use. Apply by brush, roller or airless spray.

ARDEX WPM 240 must be dry before applying membrane

SUITABLE SUBSTRATES

Roofing:

Plywood (H3 treated- not LOSP) Strandsarking CFC Sheet PIR Board Concrete Below Grade waterproofing Concrete Concrete Bock

Do not use on substrates sensitive to Solvents. Under these circumstances, ARDEX WPM 247 is a better suited primer.

COVERAGE

1 Litre of ARDEX WPM 240 will cover approximately 5m²

DRYING TIME

Allow 1-2 hours at 23°C

PACKAGING

20L

STORAGE

12 Months in the original unopened packaging stored at 23°C. Store in a well venitilated place and keep cool.

IDENTIFICATION

ARDEX WPM 240 is available in a Clear and Black liquid

CLEAN UP

Wash equipment with ARDEX WA 98S

DISPOSAL

Dispose of contents/container to authorised hazardous or special waste collection points in accordance with the local council

SAFETY INFORMATION

Solvent based products should only be used externally where there is good ventilation. Solvents are highly flammable and can be hazardous to your health with concentrated short term exposure, ingestion, inhalation or multiple exposures over prolonged periods. Caution should be taken to prevent harm.

Solvents should be used with appropriate mask and breathing apparatus in areas with poor ventilation/air flow. Do not breathe solvent vapours.

ARDEX additionally recomends the use of mechanical ventilation in these circumstances. Wear suitable coveralls and gloves to protect the skin.

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources.

Ensure correct precautions are undertaken and work plans in place in the event of an emergancy.

Solvents are also toxic to aquatic life with longlasting effects. Please do not dispose downs drains.

For more information, please refer to the Safety Data Sheet (SDS)

FIRST AID

If swallowed, immediately call the NZ National Poisons Centre on 0800 764 766 or doctor/physician/first aider. DO NOT induce vomiting.

If exposed or concerned, seek medical attention.

In case of fire: use alcohol-resistent foam or normal protein foam to extinguish.

For an other emergency, refer to the SDS or phone NZ National Poisons Centre on 0800 764 766

ARDEX Toll Free Technical Advice Services: 0800 227 339 (New Zealand)

ARDEX New Zealand Ltd

15 Alfred Street, Onehunga Auckland, New Zealand 1061 Phone: 0800 227 339 Email: info@ardexnz.com **ardex.co.nz**

ARDEX WPM 240

Bituminous Membrane Primer

DISCLAIMER

The technical details, recommendations and other information contained in this data sheet are given in good faith and represent the best of our knowledge and experience at the time of printing. It is your responsibility to ensure that our products are used and handled correctly and in accordance with any applicable New Zealand and Australian Standards, our instructions and recommendations and only for the uses they are intended. We also reserve the right to update information without prior notice to you to reflect our ongoing research and development program. Country specific recommendations, depending on local standards, codes of practice, building regulations or industry guidelines, may effect specific installation recommendations. The supply of our products and services is also subject to certain terms, warranties and exclusions, which may have already been disclosed to you in prior dealings or are otherwise available to you on request. You should make yourself familiar with them

© ARDEX New Zealand Ltd 2022.

All aforementioned products are the trademarks of ARDEX New Zealand Ltd, its licensors and affiliates. This data sheet was issued in March 2022. Always refer to ardex.co.nz for the latest technical data from ARDEX New Zealand Ltd.