

Ardex WPM750 Undertile Butynol Ardex (Ardex NZ)

Chemwatch: **25-0020** Version No: **5.1.1.1** Safety Data Sheet according to HSNO Regulations

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Ardex WPM750 Undertile Butynol	
Synonyms	undertile butynol	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Undertile waterproofing membrane.
--------------------------	-----------------------------------

Details of the supplier of the safety data sheet

Registered company name	Ardex (Ardex NZ)
Address	32 Lane Street Woolston Christchurch New Zealand
Telephone	+64 3384 3029
Fax	+64 3384 9779
Website	Not Available
Email	Not Available

Emergency telephone number

0 7 1	
Association / Organisation	Ardex (Ardex NZ)
Emergency telephone numbers	+64 3 373 6900
Other emergency telephone numbers	0800 764 766 (NZ NPC)

SECTION 2 Hazards identification

Classification of the substance or mixture

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Not regulated for transport of Dangerous Goods.

ChemWatch Hazard Ratings

	Min Max	1
Flammability	1	
Toxicity	0	0 = Minimum
Body Contact	0	1 = Low
Reactivity	0	2 = Moderate
Chronic	0	3 = High 4 = Extreme

Classification ^[1]	Skin Corrosion/Irritation Category 3, Eye Irritation Category 2
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI
Determined by Chemwatch using GHS/HSNO criteria	6.3B, 6.4A

Label elements

Chemwatch Hazard Alert Code: 1

Issue Date: 01/11/2019

Print Date: 09/09/2020

S.GHS.NZL.EN

Hazard pictogram(s)		
Signal word	Warning	
Hazard statement(s)		
H316	Causes mild skin irritation.	
H319	Causes serious eye irritation.	
Precautionary statement(s) Prevention		
P280	Wear protective gloves/protective clothing/eye protection/face protection.	

Precautionary	v statement/s) Resnonse
Frecautionary	statements	

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
1333-86-4	20-45	carbon black
Not Available	10-30	polyolefins.
Not Available	<5	stabilisers.
9003-27-4	NotSpec	isobutylene homopolymer
9003-31-0	NotSpec	isoprene homopolymer
Not Available	NotSpec	rubber accelerators
Not Available	NotSpec	vulcanising agents

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Generally not applicable.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- Foam.
- Dry chemical powder.
 BCF (where regulations permit).
 Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompat	tibility N	lone known.
---------------	------------	-------------

Advice for firefighters

Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. Use water delivered as a fine spray to control fire and cool adjacent area.
Fire/Explosion Hazard	Combustible Decomposes on heating and produces toxic fumes of: carbon monoxide (CO) carbon dioxide (CO2) other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Secure load if safe to do so. Bundle/collect recoverable product. Collect remaining material in containers with covers for disposal.
Major Spills	 Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Wear physical protective gloves e.g. Leather.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Trecadions for sale handling	
Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. When handling DO NOT eat, drink or smoke.
Other information	No special storage precautions required

Conditions for safe storage, including any incompatibilities

Suitable container	No restriction on the type of containers. Packing as recommended by manufacturer. Check all material is clearly labelled.
Storage incompatibility	No known incompatibility with normal range of industrial materials

SECTION 8 Exposure controls / personal protection

Not Available

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL		Peak	Notes
New Zealand Workplace Exposure Standards (WES)	carbon black	Carbon black	3 mg/m3	Not Availa	ble	Not Available	6.7B-Suspected carcinogen
Emergency Limits							
Ingredient	Material name		TEEL-1		TEEL	-2	TEEL-3
carbon black	Carbon black		9 mg/m3		99 mg	g/m3	590 mg/m3
Ingredient	Original IDLH	Original IDLH			Revised IDLH		
carbon black	1,750 mg/m3		Not Available				
isobutylene homopolymer	Not Available			Not Available			

Exposure controls

isoprene homopolymer

Appropriate engineering controls	Area where polymer is heat processed should be ventilated to remove vapour, fumes released during all stages of processing.
Personal protection	



Not Available

Eye and face protection	 No special equipment for minor exposure i.e. when handling small quantities. OTHERWISE: Safety glasses with side shields. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	No special equipment needed when handling small quantities OTHERWISE: Cotton gloves When handling hot material, wear Protective gloves eg. Leather gloves or gloves with Leather facing
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities OTHERWISE: • Overalls • Eyewash unit.

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	A-AUS	-	A-PAPR-AUS / Class 1
up to 50 x ES	-	A-AUS / Class 1	-
up to 100 x ES	-	A-2	A-PAPR-2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Black membrane sheet/roll with a slightly pungent odour; insoluble in water.				
Physical state	Manufactured	Relative density (Water = 1)	Not Available		
Odour	Not Available	Partition coefficient n-octanol / water	Not Available		
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable		
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available		
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Applicable		
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable		
Flash point (°C)	>63	Taste	Not Available		
Evaporation rate	Not Applicable	Explosive properties	Not Available		
Flammability	Combustible.	Oxidising properties	Not Available		
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable		
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Applicable		
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available		
Solubility in water	Immiscible	pH as a solution (1%)	Not Applicable		
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Available		

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Inhaled	Not normally a hazard due to non-volatile nature of product Inhalation of vapour is more likely at higher than normal temperatures. The vapour from heated material is discomforting to the upper respiratory tract				
Ingestion	Not normally a hazard due to physical form of product.				
Skin Contact	Skin contact does not normally present a hazard, thoug usually regarded as inert.	gh it is always possible that occasiona	Ily individuals may be found who react to substances		
Eye	Not normally a hazard due to physical form of product.				
Chronic	The additives are immobilised in the rubber and do not Long-term exposure to the product is not thought to pro models); nevertheless exposure by all routes should be	duce chronic effects adverse to the h			
Ardex WPM750 Undertile	ΤΟΧΙΟΙΤΥ	IRRITATION			
Butynol	Not Available	Not Available			
	тохісіту	IRRITATION			
	4 mg/kg ^[2]	Eye: no adverse e	effect observed (not irritating) ^[1]		
carbon black	7 mg/kg ^[2]	Skin: no adverse	effect observed (not irritating) ^[1]		
	Oral (rat) LD50: >15400 mg/kg ^[2]				
	тохісіту	IRRITATION			
isobutylene homopolymer	Not Available	Not Available			
ioonrono komonokumor	ΤΟΧΙΟΙΤΥ	IRRITATION			
isoprene homopolymer	Not Available	Not Available			
Legend:	 Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances 				
CARBON BLACK	Inhalation (rat) TCLo: 50 mg/m3/6h/90D-I Nil reported WARNING: This substance has been classified by the I	APC on Group 2P: Possibly Corsing	renie to Humana		
Ardex WPM750 Undertile Butynol	None (None) None: None None None None None None None				
CARBON BLACK & ISOBUTYLENE HOMOPOLYMER & ISOPRENE HOMOPOLYMER	No significant acute toxicological data identified in literature search.				
Acute Toxicity	×	Carcinogenicity	×		
Skin Irritation/Corrosion	×	Reproductivity	×		
Serious Eye Damage/Irritation	×				
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×		

Legend:

Data either not available or does not fill the criteria for classification
 Data available to make classification

SECTION 12 Ecological information

То	xi	ci	ty

	Endpoint	Test Duration (hr)	Species	Value	Source
Ardex WPM750 Undertile Butynol	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96	Fish	>100mg/L	2
	EC50	48	Crustacea	>100mg/L	2
carbon black	EC50	72	Algae or other aquatic plants	>10-mg/L	2
	EC10	72	Algae or other aquatic plants	>10-mg/L	2
	NOEC	96	Fish	>=1-mg/L	2
	Endpoint	Test Duration (hr)	Species	Value	Sourc
isobutylene homopolymer	LC50	96	Fish	0.037mg/L	2
	EC50	48	Crustacea	0.04mg/L	2
	EC50	72	Algae or other aquatic plants	>19.2mg/L	2

	NOEC	96	Fish	10-mg/L	2
	Endpoint	Test Duration (hr)	Species	Value	Source
isoprene homopolymer	EC50	72	Algae or other aquatic plants	0.302mg/L	2
	EC10	72	Algae or other aquatic plants	0.054mg/L	2
Legend: Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data					

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
isobutylene homopolymer	LOW	LOW
isoprene homopolymer	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation	
isobutylene homopolymer	LOW (LogKOW = 2.2256)	
isoprene homopolymer	LOW (LogKOW = 2.5803)	

Mobility in soil

Ingredient	Mobility
isobutylene homopolymer	LOW (KOC = 35.04)
isoprene homopolymer	LOW (KOC = 67.7)

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal	 Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill.
------------------------------	--

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous.

SECTION 14 Transport information

Labels Required	
Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
HSR002624	N.O.S. (Subsidiary Hazard) Group Standard 2017
HSR002535	Gas Under Pressure Mixtures (Subsidiary Hazard) Group Standard 2017
HSR002596	Laboratory Chemicals and Reagent Kits Group Standard 2017
HSR002530	Cleaning Products (Subsidiary Hazard) Group Standard 2017
HSR002585	Fuel Additives (Subsidiary Hazard) Group Standard 2017
HSR002519	Aerosols (Subsidiary Hazard) Group Standard 2017
HSR002521	Animal Nutritional and Animal Care Products Group Standard 2017

HSR Number	Group Standard			
HSR002606	Lubricants, Lubricant Additives, Coolants and Anti-fre	Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group Standard 2017		
HSR002644	Polymers (Subsidiary Hazard) Group Standard 2017	Polymers (Subsidiary Hazard) Group Standard 2017		
HSR002647	Reagent Kits Group Standard 2017	Reagent Kits Group Standard 2017		
HSR002670	Surface Coatings and Colourants (Subsidiary Hazard	Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2017		
HSR002638	Photographic Chemicals (Subsidiary Hazard) Group S	Standard 2017		
HSR002565	Embalming Products (Subsidiary Hazard) Group Star	idard 2017		
HSR002578	Food Additives and Fragrance Materials (Subsidiary I	Hazard) Group Standard 2017		
HSR002558	Dental Products (Subsidiary Hazard) Group Standard	2017		
HSR002684	Water Treatment Chemicals (Subsidiary Hazard) Gro	up Standard 2017		
HSR002573	Fire Fighting Chemicals Group Standard 2017			
HSR100425	Pharmaceutical Active Ingredients Group Standard 20	017		
HSR002600	Leather and Textile Products (Subsidiary Hazard) Gro	up Standard 2017		
HSR002605	Lubricants (Low Hazard) Group Standard 2017			
HSR002571	Fertilisers (Subsidiary Hazard) Group Standard 2017			
HSR002648	Refining Catalysts Group Standard 2017			
HSR002653	Solvents (Subsidiary Hazard) Group Standard 2017			
HSR002544	Construction Products (Subsidiary Hazard) Group Sta	Construction Products (Subsidiary Hazard) Group Standard 2017		
HSR002549	Corrosion Inhibitors (Subsidiary Hazard) Group Stand	Corrosion Inhibitors (Subsidiary Hazard) Group Standard 2017		
HSR100757	Veterinary Medicine (Limited Pack Size, Finished Dos	Veterinary Medicine (Limited Pack Size, Finished Dose) Standard 2017		
HSR100758	Veterinary Medicines (Non-dispersive Closed System	Veterinary Medicines (Non-dispersive Closed System Application) Group Standard 2017		
HSR100759	Veterinary Medicines (Non-dispersive Open System A	Veterinary Medicines (Non-dispersive Open System Application) Group Standard 2017		
HSR100580	Tattoo and Permanent Makeup Substances Group St	Tattoo and Permanent Makeup Substances Group Standard 2017		
HSR002612	Metal Industry Products (Subsidiary Hazard) Group S	Metal Industry Products (Subsidiary Hazard) Group Standard 2017		
HSR002503	Additives, Process Chemicals and Raw Materials (Su	Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2017		
HSR002552	Cosmetic Products Group Standard 2017			
carbon black is found or	n the following regulatory lists			
Chemical Footprint Projec	t - Chemicals of High Concern List	New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification		
International Agency for R Monographs	esearch on Cancer (IARC) - Agents Classified by the IARC	of Chemicals New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification		
• •	esearch on Cancer (IARC) - Agents Classified by the IARC	of Chemicals - Classification Data		
• •	Possibly carcinogenic to humans	New Zealand Inventory of Chemicals (NZIoC)		
International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)		New Zealand Workplace Exposure Standards (WES)		

New Zealand Approved Hazardous Substances with controls

isobutylene homopolymer is found on the following regulatory lists

New Zealand Inventory of Chemicals (NZIoC)

isoprene homopolymer is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantity (Closed Containers)	Quantity (Open Containers)
Not Applicable	Not Applicable	Not Applicable

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Tracking Requirements

Not Applicable

National Inventory Status

National Inventory	Status
Australia - AIIC	Yes
Australia Non-Industrial Use	No (carbon black; isobutylene homopolymer; isoprene homopolymer)
Canada - DSL	Yes
Canada - NDSL	No (carbon black; isobutylene homopolymer; isoprene homopolymer)

Continued...

National Inventory	Status		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	No (isoprene homopolymer)		
Japan - ENCS	Yes		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	Yes		
Vietnam - NCI	Yes		
Russia - ARIPS	Yes		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)		

SECTION 16 Other information

Revision Date	01/11/2019
Initial Date	11/10/2010

SDS Version Summary

Version	Issue Date	Sections Updated
4.1.1.1	18/01/2017	Physical Properties
5.1.1.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.